

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	5697	(generat\$4 creat\$4 determin\$7) near8 ((encrypt\$6 algorithm\$1 encipher\$9 cipher\$9 crypto cryptograph\$6) near4 (version\$1 application\$1 program\$1 routine\$1 software\$1))	USPAT; IBM_TDB	OR	OFF	2007/09/17 14:10
L2	4541	(password\$3 passphrase\$1 PIN) near9 (encrypt\$6 algorithm\$1 encipher\$9 cipher\$9 crypto cryptograph\$6)	USPAT; IBM_TDB	OR	OFF	2007/09/17 14:10
L3	6880	((726/1) or (726/2) or (726/4) or (726/5) or (726/7) or (726/8) or (726/17) or (726/118) or (726/19) or (726/21) or (726/27) or (726/30) or (726/34) or (713/168) or (713/182) or (713/183) or (713/184) or (713/185) or (713/193) or (705/16) or (705/17) or (705/18) or (380/229) or (380/241) or (380/255) or (380/28) or (380/29)). CCLS.	USPAT; IBM_TDB	OR	OFF	2007/09/17 14:10
L4	615	L3 and L1	USPAT; IBM_TDB	OR	OFF	2007/09/17 14:10
L5	322	(password\$3 passphrase\$1 PIN) and L4	USPAT; IBM_TDB	OR	OFF	2007/09/17 14:10
L6	1223	(password\$3 passphrase\$1 PIN) near8 (specif\$5 accord\$4 particular\$2 match\$3 bas\$2 determin\$4 predetermin\$7 pre-determin\$8 preset\$3 pre-set\$3 appoint\$3 list\$1 version\$1) near8 (encrypt\$6 algorithm\$1 encipher\$9 cipher\$9 crypto cryptograph\$6)	USPAT; IBM_TDB	OR	OFF	2007/09/17 14:38
L7	512	L3 and ((generat\$4 creat\$4 determin\$7) near5 ((encrypt\$6 algorithm\$1 encipher\$9 cipher\$9 crypto cryptograph\$6) near4 (version\$1 application\$1 program\$1 routine\$1 software\$1)))	USPAT; IBM_TDB	OR	OFF	2007/09/17 14:10
L8	70	L7 and L6	USPAT; IBM_TDB	OR	OFF	2007/09/17 14:10
L9	8755	(user-specif\$5 user-base\$1 ((user\$2 client\$1 person\$3) near3 (specif\$5 accord\$4 particular\$2 match\$3 bas\$2))) near9 (password\$3 passphrase\$1 PIN privilege\$1 role\$1 association\$1 rule\$1 (access\$3 near2 control\$1) permission\$1)	USPAT; IBM_TDB	OR	OFF	2007/09/17 14:10
L10	122	L9 and L4	USPAT; IBM_TDB	OR	OFF	2007/09/17 14:10

## EAST Search History

L11	88	L2 and L10	USPAT; IBM_TDB	OR	OFF	2007/09/17 14:10
L12	47	L11 and hash\$3	USPAT; IBM_TDB	OR	OFF	2007/09/17 14:50
L13	44	L8 and hash\$4	USPAT; IBM_TDB	OR	OFF	2007/09/17 14:10
L14	132	(password\$3 passphrase\$1 PIN) near8 L1	USPAT; IBM_TDB	OR	OFF	2007/09/17 14:10
L15	643639	(password\$3 passphrase\$1 PIN) ((user\$2 client\$1 person\$3) near3 (code\$1 number\$1 pin password\$1 passphrase\$1))	USPAT; IBM_TDB	OR	OFF	2007/09/17 14:10
L16	291	(password\$3 passphrase\$1 PIN) with (specif\$5 accord\$4 particular\$2 match\$3 bas\$2 determin\$4 predetermin\$7 pre-determin\$8 preset\$3 pre-set\$3 appoint\$3 base\$1) with (generat\$4 deriv\$4) with (encrypt\$6 algorithm\$1 encipher\$9 cipher\$9 crypto cryptograph\$6)	USPAT; IBM_TDB	OR	OFF	2007/09/17 14:43
L17	191561	(selecti\$6 allow\$3) near4 (user\$1 client\$1 person\$1)	USPAT; IBM_TDB	OR	OFF	2007/09/17 14:42
L18	166	L16 and L17	USPAT; IBM_TDB	OR	OFF	2007/09/17 14:42
L19	23549	(specif\$5 version\$1 particular\$2) near4 (encrypt\$6 algorithm\$1 encipher\$9 cipher\$9 crypto cryptograph\$6)	USPAT; IBM_TDB	OR	OFF	2007/09/17 14:44
L20	89	L18 and L19	USPAT; IBM_TDB	OR	OFF	2007/09/17 14:44
L21	84	L20 and password\$1	USPAT; IBM_TDB	OR	OFF	2007/09/17 14:49
L22	41	L21 and (sha hash\$3)	USPAT; IBM_TDB	OR	OFF	2007/09/17 14:52